



# Material Safety Data Sheet

Page 1 of 6

Issue date: December 2005

## Eraspray 321 Part B

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name: Eraspray 321 Part B**

**Synonym:** None

**Use:** Polyurethane spray elastomer curative

**Era Polymers Pty Ltd**  
**25-27 Green Street**  
**Banksmeadow NSW 2019**  
**Australia**  
**Ph: +61 2 9666 3788**  
**Fax: +61 2 9666 4805**

**Emergency Advice All Hours:**  
Technical Manager +61 2 9666 3788

### 2. HAZARDS IDENTIFICATION

HAZARDOUS ACCORDING TO NOHSC CRITERIA

**Hazard Category:** Harmful (Xn), Irritant (Xi)

**Hazard Classification:** HAZARDOUS SUBSTANCE, NON-DANGEROUS GOOD

#### RISK PHRASES

R21/22 Harmful in contact with skin and if swallowed.

R36 Irritating to eyes.

R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### SAFETY PHRASES

S23 Do not breathe fumes/vapour/spray.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and contact a doctor.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S42 During spraying wear suitable respiratory protection.

S46 If swallowed, contact a doctor immediately and show this container or label.

S60 This material and/or its container must be disposed of as hazardous waste.

**Poison Schedule:** None allocated [Aust].

#### Warning Statement:

Do not swallow. Avoid skin and eye contact. Avoid breathing vapours/spray. Avoid release into the aquatic environment.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE NAME	Proportion	CAS Number
DIETHYLTOLUENE DIAMINE [DETDA]	30 to 60%	68479-98-1

All other ingredients not hazardous according to NOHSC Criteria.

### 4. FIRST AID MEASURES

#### Swallowed:

If swallowed, DO NOT induce vomiting. If person is conscious give water to drink. Seek medical attention immediately.



# Material Safety Data Sheet

Page 2 of 6

Issue date: December 2005

## Eraspray 321 Part B

### Eye:

If material is splashed into eyes, immediately, flush with plenty of water for 15 minutes, ensuring eyelids are held open. If irritation persists seek medical attention.

### Skin:

If material is splashed onto the skin, remove any contaminated clothing and wash skin thoroughly with water and soap. Flush skin with water. Seek medical attention if irritation persists after washing.

### Inhaled:

Remove victim to fresh air. Apply resuscitation if victim is not breathing. If trained personnel available administer oxygen if breathing is difficult.

### First Aid Facilities:

Eye wash fountain, safety shower and normal washroom facilities.

### Advice to Doctor:

Treat symptomatically.

**In case of poisoning, contact Poisons Information Centre**

**In Australia call Tel: 131126**

**In New Zealand Tel: 034747000**

## 5. FIRE-FIGHTING MEASURES

### Fire/Explosion Hazard

If safe to do so, move undamaged containers from fire area.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Decomposes on heating emitting toxic fumes including oxides of carbon and nitrogen.

**FIRE FIGHTING PROCEDURES:** Fire fighters to wear Self-contained breathing apparatus (SCBA) in confined spaces, in oxygen deficient atmospheres or if exposed to products of decomposition. Full protective clothing is also recommended.

**EXTINGUISHING MEDIA:** Use extinguishing media suitable for surrounding fire situation. Use foam, water spray (fog), CO<sub>2</sub> or dry powder. Use water spray to cool fire-exposed containers and for large fires.

**HAZCHEM CODE:** None allocated [Aust]

### FLAMMABILITY

This product is not flammable.

## 6. ACCIDENTAL RELEASE MEASURES

Material may be slippery when spilt. Walk cautiously. Ventilate area. Wear protective equipment to prevent skin and eye contact, as outlined under personal protection in this MSDS. Bund area using sand or soil - to prevent run off into drains and waterways. Use absorbent (soil, sand, vermiculite or other inert material). Collect and seal in properly labelled containers for disposal.

## 7. HANDLING AND STORAGE

Store in a cool, dry place and out of direct sunlight. Store away from sources of heat or ignition. Store away from oxidizing agents. Keep containers closed, when not using the product. Store in original packages as approved by manufacturer. Purge with nitrogen and close container when not in use. Do not eat, drink or smoke in the workplace.



# Material Safety Data Sheet

Page 3 of 6

Issue date: December 2005

## Eraspray 321 Part B

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Standards

No exposure standards are available for this product, however, the following exposure standards have been assigned by [NOHSC] to the following components of the product:

#### *DIETHYLTOLUENE DIAMINE [DETDA]*

No exposure standards have been assigned by the National Occupational Health & Safety Commission (NOHSC)

#### Engineering Controls

Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate unless the material is heated, reacted or otherwise changed in some type of chemical reaction, then the use of a local exhaust ventilation system is recommended. If exhaust ventilation is not available or inadequate, use approved respirator to Australian Standards. Respiratory protection should be worn when spraying the product.

#### Personal Protection Equipment

**CLOTHING:** Wear suitable protective clothing, such as overalls or lab coat, to prevent skin contact.

**GLOVES:** Wear impervious gloves, such as those made from PVC or natural rubber, to prevent skin contact.

**EYES:** Wear chemical goggles or face shield to protect eyes.

**RESPIRATORY PROTECTION:** Avoid breathing of vapour/spray. Select and use respirators in accordance with AS/NZS 1715/1716. The use of a respirator for organic vapours with (disposable) or with replaceable filters is recommended. Filter capacity and respirator type depends on exposure levels and type of contaminant. If entering spaces where the airborne concentration of a contaminant is unknown then the use of a Self-contained breathing apparatus (SCBA) with positive pressure air supply complying with AS/NZS 1715 / 1716, or any other acceptable International Standard is recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Yellow liquid
<b>Boiling Point Melting Point:</b>	Not determined
<b>Vapour Pressure:</b>	Not determined
<b>Specific Gravity:</b>	1.02 @ 60°C, 1.13 @ 100°C
<b>Flash Point:</b>	Not determined
<b>Flammability Limits:</b>	Not determined
<b>Solubility in Water:</b>	Partially soluble

#### Other Properties

None determined.

### 10. STABILITY AND REACTIVITY

#### STABILITY:

Stable under normal conditions of use.

#### HAZARDOUS DECOMPOSITION PRODUCTS:

Emits toxic fumes including oxides of carbon and nitrogen when heated to decomposition.

#### HAZARDOUS POLYMERIZATION:

Will not occur under normal conditions of use.

#### INCOMPATIBILITIES:

Strong alkalis, acids, oxidizing agents.

#### CONDITIONS TO AVOID:

Heat, flames, ignition sources and incompatibles.



# Material Safety Data Sheet

Page 4 of 6

Issue date: December 2005

## Eraspray 321 Part B

### 11. TOXICOLOGICAL INFORMATION

No adverse health effects are expected, if the product is handled in accordance with this Material Safety Data Sheet and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:

#### **ACUTE HEALTH EFFECTS:**

##### **Swallowed:**

Harmful if swallowed.

May cause irritation to mouth, throat and stomach with effects including mucous build up, irritation to the tongue and lips and pains in the stomach, which may lead to nausea, vomiting and diarrhoea.

##### **Eye:**

Will cause irritation to the eyes, with effects including: tearing, pain, stinging and blurred vision. Depending upon duration of exposure, eye damage may occur.

##### **Skin:**

Harmful by skin contact.

May cause irritation to the skin, with effects including: redness and itchiness.

##### **Inhaled:**

Harmful if inhaled.

May cause irritation to the nose, throat and respiratory system with effects including: dizziness, headache and loss of co-ordination.

##### **Chronic:**

Prolonged or repeated skin contact may lead to dermatitis.

Prolonged contact may cause severe eye irritation and some form of permanent eye damage may occur.

Product may also be absorbed through the skin with resultant toxic effects.

Prolonged or repeated exposure may lead to irreversible damage to health.

Prolonged or repeated exposure may lead to permanent irreversible injury.

##### **Toxicological Data:**

There is no other toxicological information available for this product.

##### **Toxicological Data for Ingredient(s):**

DIETHYLTOLUENEDIAMINE [DETDA]:

Diethyltoluenediamine (DETDA) has acute oral (rat) and dermal (rabbit) LD50 values of 485 mg/kg and 700 mg/kg, respectively. A two-year feeding study (rats) showed DETDA caused adverse effects in the pancreas, liver, thyroid, and eyes. An increase in the number of tumours in the liver and thyroid of male rats, and in the liver and possibly mammary gland of female rats was found. In rare cases, sensitisation to DETDA has been reported to occur in humans.

### 12. ECOLOGICAL INFORMATION

##### **Ecotoxicity:**

There is no information available for this product.

##### **Mobility:**

There is no information available for this product.

##### **Persistence / Degradability:**

There is no information available for this product.

##### **Chemical Fate Information:**

Environmentally hazardous substance. Do not allow into drains or waterways. Do not allow to contaminate soil.



# Material Safety Data Sheet

Page 5 of 6

Issue date: December 2005

## Eraspray 321 Part B

### 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with all relevant Local, State and Federal regulations. Dispose of material through a licensed waste contractor. Any processing, use, or contamination of this product may change the requirements for disposal. It is the responsibility of the generator of the waste to properly classify, transport and dispose of the waste.

### 14. TRANSPORT INFORMATION

#### Road Transport

**UN Number:** None allocated

**Proper Shipping Name:** NONE ALLOCATED

**Dangerous Goods Class:** None allocated

**Packing Group:** None allocated

**Label:** Harmful (Xn), Irritant (Xi)

#### Air Transport

**UN Number:** None allocated

**Proper Shipping Name:** NONE ALLOCATED

**Dangerous Goods Class:** None allocated

**Packing Group:** None allocated

**Label:** Harmful (Xn), Irritant (Xi)

#### Sea Transport

**UN Number:** None allocated

**Proper Shipping Name:** NONE ALLOCATED

**Dangerous Goods Class:** None allocated

**Packing Group:** None allocated

**Label:** Harmful (Xn), Irritant (Xi)

### 15. REGULATORY INFORMATION

**Poison Schedule:** None allocated [Aust]

#### Inventory Status:

<i>Inventory</i>	<i>Status</i>	
Australia (AICS)		Y

Y = all ingredients are on the inventory.

### 16. OTHER INFORMATION

#### Date of Preparation:

Issue date: 19/12/05

Supersedes: August 2001

#### Reasons for Update:

New format.

#### Key Legend Information:

NOHSC - National Occupational Health & Safety Commission {Formerly Worksafe}[Aust]

SUSDP - Standard for the Uniform Scheduling of Drugs and Poisons [Aust]

TWA - Time Weighted Average [Int]

STEL - Short Term Exposure Limit [Int]

AICS - Australian Inventory of Chemical Substances

EPA - Environmental Protection Agency [Int]

NIOSH - National Institute for Occupational Safety and Health [US]

AS/NZS 1715 - Selection, use and maintenance of respiratory protective devices. [Aust/NZ]

AS/NZS 1716 - Respiratory protective devices. [Aust/NZ]

IATA - International Aviation Transport Authority [Int]

ICAO - International Civil Aviation Organization [Int]



# Material Safety Data Sheet

Page 6 of 6

Issue date: December 2005

## Eraspray 321 Part B

IMO - International Maritime Organisation. [Int]

IMDG - International Maritime Dangerous Goods [Int]

United Nations Recommendations for the Transport of Dangerous Goods and Globally Harmonized System for the classification and labelling of Chemicals. [Int]

EU - European Union

[Aust/NZ] = Australian New Zealand

[Int] = International

[US] = United States of America

Removal of the heading of *Poison Schedule [Aust]*, in section 3 and 15 of this Material Safety Data Sheet (MSDS) makes this a valid health and safety document in other international jurisdictions/countries. For full compliance please contact your Federal, State or Local regulators for further information.

### **Disclaimer**

This MSDS summarises our best knowledge of the health and safety hazard information available on the product and the measures to be used to handle and use the product safely. Each user should read this MSDS and consider the information in connection with the way the product is intended to be handled or used.

### **Principal References:**

Information supplied by manufacturer, reference sources including the public domain.

**END OF MSDS**