



# Material Safety Data Sheet

Page 1 of 7

Issue date: March 2008

## ERASPRAY ESM800 POLYOL

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** ERASPRAY ESM800 POLYOL

**Synonym:** None

**Use:** POLYURETHANE CURATIVE

**Era Polymers Pty Ltd**

**25-27 Green Street**

**Banksmeadow NSW 2019**

**Australia**

**Ph: +61 2 9666 3788**

**Fax: +61 2 9666 4805**

**Emergency Advice All Hours:**

Technical Manager +61 2 9666 3788

### 2. HAZARDS IDENTIFICATION

HAZARDOUS ACCORDING TO EU CRITERIA

**Hazard Category:** Harmful (Xn)

**Hazard Classification:** HAZARDOUS SUBSTANCE, NON-DANGEROUS GOOD

#### RISK PHRASES

R22 Harmful if swallowed.

R48 Danger of serious damage to health by prolonged exposure.

R50 Very toxic to aquatic organisms.

R53 May cause long term adverse effects in the aquatic environment.

#### SAFETY PHRASES

S20 When using, do not eat or drink.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons Information Centre.

S28 After contact with skin, wash immediately with plenty of soap and water

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S45 In case of accident or if you feel unwell, contact a doctor or Poisons Information Centre immediately and show this container or label.

S46 If swallowed, contact a doctor or Poisons Information Centre immediately and show this container or label.

S60 This material and/or its container must be disposed of as hazardous waste.

**Poison Schedule:** S5 [Aust]

This material is a Scheduled **S5** Poison and must be stored, handled and used according to the appropriate regulations..

#### Warning Statement:

Avoid breathing spray, mist, avoid exposure

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE NAME	Proportion	CAS Number
POLYETHER POLYOL	> 60%	Mixture
DIETHYLTOLUENE DIAMINE [DETDA]	10 to 30%	68479-98-1



# Material Safety Data Sheet

Page 2 of 7

Issue date: March 2008

## ERASPRAY ESM800 POLYOL

All other ingredients not hazardous according to EU Criteria.

### 4. FIRST AID MEASURES

**Swallowed:**

If swallowed, DO NOT induce vomiting. If person is conscious give water to drink. Seek medical attention immediately.

**Eye:**

If material is splashed into eyes, immediately, flush with plenty of water for 15 minutes, ensuring eyelids are held open. If irritation persists seek medical attention.

**Skin:**

If material is splashed onto the skin, remove any contaminated clothing and wash skin thoroughly with water and soap. Flush skin with water. Seek medical attention if irritation persists after washing.

**Inhaled:**

Remove victim to fresh air. Apply resuscitation if victim is not breathing. If trained personnel available administer oxygen if breathing is difficult.

**First Aid Facilities:**

Eye wash fountain, safety shower and normal washroom facilities.

**Advice to Doctor:**

Treat symptomatically.

**In case of poisoning, contact Poisons Information Centre**

**In Australia call Tel: 131126**

**In New Zealand Tel: 034747000**

### 5. FIRE-FIGHTING MEASURES

**Fire/Explosion Hazard**

If safe to do so, move undamaged containers from fire area.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Decomposes on heating emitting toxic and/or irritating fumes including carbon monoxide and carbon dioxide.

**FIRE FIGHTING PROCEDURES:** Fire fighters to wear Self-Contained Breathing Apparatus (SCBA) in confined spaces, in oxygen deficient atmospheres or if exposed to products of decomposition. Full protective clothing is also recommended.

**EXTINGUISHING MEDIA:** Use extinguishing media suitable for surrounding fire situation. Use foam, water spray (fog), CO<sub>2</sub> or dry powder. Use water spray to cool fire-exposed containers and for large fires.

**HAZCHEM CODE:** None allocated [Aust]

**FLAMMABILITY**

This product is not flammable.

### 6. ACCIDENTAL RELEASE MEASURES

Material may be slippery when spilt. Walk cautiously. Ventilate area. Wear protective equipment to prevent skin and eye contact, as outlined in Section 8 of this Material Safety Data Sheet. Bund area using sand or soil - to prevent run off into drains and waterways. Use absorbent (soil, sand, vermiculite or other inert material). Collect and seal in properly labelled containers for disposal.



# Material Safety Data Sheet

Page 3 of 7

Issue date: March 2008

## ERASPRAY ESM800 POLYOL

### 7. HANDLING AND STORAGE

Store in a cool place and out of direct sunlight. Store away from sources of heat or ignition. Store away from oxidising agents. Keep containers closed when not using the product. Store in original packages as approved by manufacturer. Purge with nitrogen and close container when not in use. Do not eat, drink or smoke in the workplace.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Standards

No exposure standards are available for this product, however, the following exposure standards have been assigned by [NOHSC] to the following components of the product:

\*\*\*\*\*

#### **POLYETHER POLYOL**

(ACGIH)

[TWA]10 mg/m<sup>3</sup>

#### **DIETHYLTOLUENE DIAMINE [DETDA]**

No exposure standards have been assigned by the National Occupational Health & Safety Commission (NOHSC)

\*\*\*\*\*

#### Engineering Controls

Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate unless the material is heated, reacted or otherwise changed in some type of chemical reaction, then the use of a local exhaust ventilation system is recommended. If exhaust ventilation is not available or inadequate, use approved respirator to Australian Standards.

#### Personal Protection Equipment

**CLOTHING:** Wear suitable protective clothing to prevent skin contact.

**GLOVES:** Wear impervious gloves to prevent skin contact - PVC or natural rubber.

**EYES:** Wear safety glasses with side shields, chemical goggles or face shield to protect eyes.

**RESPIRATORY PROTECTION:** Avoid breathing of vapours/gases. Select and use respirators in accordance with AS/NZS 1715/1716. The use of a respirator for organic vapours with disposable or with replaceable filters is recommended. Filter capacity and respirator type depends on exposure levels and type of contaminant. If entering spaces where the airborne concentration of a contaminant is unknown then the use of a Self-contained breathing apparatus (SCBA) with positive pressure air supply complying with AS/NZS 1715 / 1716, or any other acceptable International Standard is recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Milky liquid
<b>Boiling Point Melting Point:</b>	Not determined
<b>Vapour Pressure:</b>	Not determined
<b>Specific Gravity:</b>	Approx 1
<b>Flash Point:</b>	Not flammable
<b>Flammability Limits:</b>	Not flammable
<b>Solubility in Water:</b>	Insoluble

#### Other Properties

None

### 10. STABILITY AND REACTIVITY

STABILITY:



# Material Safety Data Sheet

Page 4 of 7

Issue date: March 2008

## ERASPRAY ESM800 POLYOL

Stable under normal conditions of use.

### HAZARDOUS DECOMPOSITION PRODUCTS:

Emits smoke and fumes when heated to decomposition.

### HAZARDOUS POLYMERIZATION:

Will not occur.

### INCOMPATIBILITIES:

Strong alkalis, acids, oxidizing agents.

### CONDITIONS TO AVOID:

Heat, flames, ignition sources and incompatibles.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects are expected, if the product is handled in accordance with this Material Safety Data Sheet and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:

### ACUTE HEALTH EFFECTS:

#### Swallowed:

Harmful if swallowed.

May cause irritation to mouth, throat and stomach with effects including mucous build up, irritation to the tongue and lips and pains in the stomach, which may lead to nausea, vomiting and diarrhoea.

#### Eye:

May cause irritation to the eyes, with effects including: tearing, pain, stinging and blurred vision.

#### Skin:

Harmful by skin contact.

May cause irritation to the skin, with effects including; Redness and itchiness.

#### Inhaled:

Harmful if inhaled.

May cause irritation to the nose, throat and respiratory system with effects including: Dizziness, headache and loss of co-ordination.

#### Chronic:

Prolonged or repeated skin contact may lead to dermatitis.

Prolonged or repeated exposure may lead to irreversible damage to health.

Prolonged or repeated exposure may lead to permanent irreversible injury.

Additional information for Chronic

#### DIETHYLTOLUENEDIAMINE [DETDA]:

Diethyltoluenediamine (DETDA) has acute oral (rat) and dermal (rabbit) LD50 values of 485 mg/kg and 700 mg/kg, respectively. A two-year feeding study (rats) showed DETDA caused adverse effects in the pancreas, liver, thyroid, and eyes. An increase in the number of tumours in the liver and thyroid of male rats, and in the liver and possibly mammary gland of female rats was found. In rare cases, sensitisation to DETDA has been reported to occur in humans.

#### Toxicological Data:

##### SEVERE EFFECTS AFTER REPEATED OR PROLONGED EXPOSURE

This substance is capable of causing serious damage to health and is determined to be a hazardous substance.

Serious damage is where a clear functional disturbance or morphological change which has toxicological significance results from repeated or prolonged exposure by an appropriate route.





# Material Safety Data Sheet

Page 6 of 7

Issue date: March 2008

## ERASPRAY ESM800 POLYOL

### 16. OTHER INFORMATION

**Date of Preparation:**

Issue date: 13/03/2008

Supersedes: None

**Reasons for Update:**

First issue

**Key Legend Information:**

NOHSC - National Occupational Health & Safety Commission {Formerly Worksafe}[Aust]

SUSDP - Standard for the Uniform Scheduling of Drugs and Poisons [Aust]

TWA - Time Weighted Average [Int]

STEL - Short Term Exposure Limit [Int]

AICS - Australian Inventory of Chemical Substances

EPA - Environmental Protection Agency [Int]

NIOSH - National Institute for Occupational Safety and Health [US]

AS/NZS 1715 - Selection, use and maintenance of respiratory protective devices. [Aust/NZ]

AS/NZS 1716 - Respiratory protective devices. [Aust/NZ]

IATA - International Aviation Transport Authority [Int]

ICAO - International Civil Aviation Organization [Int]

IMO - International Maritime Organisation. [Int]

IMDG - International Maritime Dangerous Goods [Int]

United Nations Recommendations for the Transport of Dangerous Goods and Globally Harmonized System for the classification and labelling of Chemicals. [Int]

EU - European Union

[Aust/NZ] = Australian New Zealand

[Int] = International

[US] = United States of America

Removal of the heading of *Poison Schedule [Aust]*, in section 3 and 15 of this Material Safety Data Sheet (MSDS) makes this a valid health and safety document in other international jurisdictions/countries. For full compliance please contact your Federal, State or Local regulators for further information.

**Disclaimer**

This MSDS summarises our best knowledge of the health and safety hazard information available on the product and the measures to be used to handle and use the product safely. Each user should read this MSDS and consider the information in connection with the way the product is intended to be handled or used.

**Principal References:**

Information supplied by manufacturer, reference sources including the public domain.

**END OF MSDS**