



Material Safety Data Sheet

Page 1 of 6

Issue date: August 2008

ERASPRAY ESM900 POLYOL

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: ERASPRAY ESM900 POLYOL

Synonym: None

Use: Sprayable Polyurethane Curative

Era Polymers Pty Ltd
25-27 Green Street
East Botany NSW 2019
Australia
Ph: +61 2 9666 3788
Fax: +61 2 9666 4805

Emergency Advice All Hours:
Technical Manager +61 2 9666 3788

2. HAZARDS IDENTIFICATION

HAZARDOUS ACCORDING TO NOHSC CRITERIA

Hazard Category: Harmful (Xn)

Hazard Classification: HAZARDOUS SUBSTANCE, NON-DANGEROUS GOOD

RISK PHRASES

R22 Harmful if swallowed.

R48/21/22 Harmful: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.

SAFETY PHRASES

S23 Do not breathe vapour/spray.

S24/25 Avoid contact with skin and eyes.

S28 After contact with skin, wash immediately with plenty of water and soap.

S36/37 Wear suitable protective clothing and gloves.

S45 In case of accident or if you feel unwell, contact a doctor immediately and show this container or label.

S60 This material and/or its container must be disposed of as hazardous waste.

S61 Avoid release to the environment. Refer to special instructions/safety data sheet.

Poison Schedule: S6 [Aust]

This material is a Scheduled **S6** Poison and must be stored, handled and used according to the appropriate regulations.

Warning Statement:

Do not swallow. Avoid skin contact.

3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE NAME	Proportion	CAS Number
POLYPROPYLENE GLYCOL	Greater than 60%	25322-69-4
DIETHYLTOLUENE DIAMINE (DETDA)	10 to 30%	68479-98-1
PHENYL MERCURY NEO-DECANOATE	1 to 10%	26545-49-3

All other ingredients not hazardous according to NOHSC Criteria.

4. FIRST AID MEASURES

Swallowed:

If swallowed, DO NOT induce vomiting but if person is conscious give water to drink. Seek medical advice immediately.



Material Safety Data Sheet

Page 2 of 6

Issue date: August 2008

ERASPRAY ESM900 POLYOL

Eye:

If material is splashed into eyes, immediately, flush with plenty of water for 15 minutes, ensuring eyelids are held open. If irritation persists seek medical attention.

Skin:

If material is splashed onto the skin, remove any contaminated clothing and wash skin thoroughly with water and soap. Flush skin with water. Seek medical attention.

Inhaled:

Remove victim to fresh air. Apply resuscitation if victim is not breathing. If trained personnel available administer oxygen if breathing is difficult.

First Aid Facilities:

Eye wash fountain, safety shower and normal washroom facilities.

Advice to Doctor:

Treat symptomatically.

In case of poisoning, contact Poisons Information Centre

In Australia call Tel: 131126

In New Zealand Tel: 034747000

5. FIRE-FIGHTING MEASURES

Fire/Explosion Hazard

If safe to do so, move undamaged containers from fire area.

Hazardous Decomposition Products: Decomposes on heating emitting toxic fumes including oxides of carbon and nitrogen.

Fire Fighting Procedures: Fire fighters to wear Self-contained breathing apparatus (SCBA) in confined spaces, in oxygen deficient atmospheres or if exposed to products of decomposition. Full protective clothing is also recommended.

Extinguishing Media: Use extinguishing media suitable for surrounding fire situation. Use foam, water spray (fog), carbon dioxide or dry chemical powder.

HAZCHEM CODE: None allocated [Aust]

FLAMMABILITY

Combustible liquid - Store in accordance with dangerous goods

6. ACCIDENTAL RELEASE MEASURES

Material may be slippery when spilt. Walk cautiously. Ventilate area. Wear protective equipment to prevent skin and eye contact, as outlined under personal protection in this MSDS. Bund area using sand or soil - to prevent run off into drains and waterways. Use absorbent (soil, sand, vermiculite or other inert material). Collect and seal in properly labelled containers for disposal.

7. HANDLING AND STORAGE

Store in a cool place and out of direct sunlight. Store away from sources of heat or ignition. Store away from oxidizing agents. Keep containers closed, when not using the product. Store in original packages as approved by manufacturer. Purge with nitrogen and close container when not in use. Do not eat, drink or smoke in the workplace.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards

No exposure standards are available for this product, however, the following exposure standards have been assigned by [NOHSC] to the following components of the product:



Material Safety Data Sheet

Page 3 of 6

Issue date: August 2008

ERASPRAY ESM900 POLYOL

POLYPROPYLENE GLYCOL

(ACGIH)

[TWA] 10 mg/m³

DIETHYLTOLUENE DIAMINE (DETDA)

No exposure standards have been assigned by the National Occupational Health & Safety Commission (NOHSC)

PHENYL MERCURY NEO-DECANOATE

(Worksafe Australia)

[TWA] 0.1 mg/m³

Notices: Sk

Engineering Controls

Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate unless the material is heated, reacted or otherwise changed in some type of chemical reaction, then the use of a local exhaust ventilation system is recommended. If exhaust ventilation is not available or inadequate, use approved respirator to Australian Standards.

Personal Protection Equipment

CLOTHING: PVC or natural rubber apron or splash suit.

GLOVES: PVC or natural rubber.

EYES: Chemical goggles or face shield to protect eyes.

RESPIRATORY PROTECTION: Avoid breathing of vapours/gases. Select and use respirators in accordance with AS/NZS 1715/1716. The use of a respirator for organic vapours with (disposable) or with replaceable filters is recommended. Filter capacity and respirator type depends on exposure levels and type of contaminant. If entering spaces where the airborne concentration of a contaminant is unknown then the use of a Self-contained breathing apparatus (SCBA) with positive pressure air supply complying with AS/NZS 1715 / 1716, or any other acceptable International Standard is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Amber/brown liquid
Boiling Point Melting Point:	Not determined
Vapour Pressure:	Not determined
Specific Gravity:	1.02 @ 25°C
Flash Point:	Not determined
Flammability Limits:	Not determined
Solubility in Water:	Not soluble

Other Properties

None determined.

10. STABILITY AND REACTIVITY

STABILITY:

Stable under normal conditions of use.

HAZARDOUS DECOMPOSITION PRODUCTS:

Emits toxic fumes including oxides of carbon and nitrogen when heated to decomposition.

HAZARDOUS POLYMERIZATION:

Will not occur under normal conditions of use.

INCOMPATIBILITIES:

Strong alkalis, acids, oxidizing agents.

CONDITIONS TO AVOID:

Heat, flames, ignition sources and incompatibles.



Material Safety Data Sheet

Page 4 of 6

Issue date: August 2008

ERASPRAY ESM900 POLYOL

11. TOXICOLOGICAL INFORMATION

No adverse health effects are expected, if the product is handled in accordance with this Material Safety Data Sheet and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:

ACUTE HEALTH EFFECTS:

Swallowed:

Harmful if swallowed.

May cause irritation to mouth, throat and stomach with effects including mucous build up, irritation to the tongue and lips and pains in the stomach, which may lead to nausea, vomiting and diarrhoea.

Eye:

May cause irritation to the eyes, with effects including: tearing, pain, stinging and blurred vision.

Skin:

Harmful by skin contact.

May cause irritation to the skin, with effects including; Redness and itchiness.

Inhaled:

May cause irritation to the nose, throat and respiratory system with effects including: Dizziness, headache and loss of co-ordination.

Chronic:

Product may also be absorbed through the skin with resultant toxic effects.

Prolonged or repeated exposure may lead to irreversible damage to health.

Prolonged or repeated exposure may lead to permanent irreversible injury.

ADDITIONAL INFORMATION FOR CHRONIC:

Diethyltoluene diamine (DETDA) has acute oral(rat) and dermal (rabbit) LD₅₀ values of 485 mg/kg and 700 mg/kg, respectively. A two-year feeding study (rats) showed DETDA caused adverse effects in the pancreas, liver, thyroid, and eyes. An increase in liver and thyroid tumours in male rats, and liver tumours in female rats were observed at a dose level of 70 ppm. An increase in mammary gland tumours in females was observed at a dose level of 35 ppm.

Phenyl mercuric neodecanoate has oral(rat) LD₅₀ value between 25-200mg/kg.

Toxicological Data:

SEVERE EFFECTS AFTER REPEATED OR PROLONGED EXPOSURE

This substance is capable of causing serious damage to health and is determined to be a hazardous substance.

Serious damage is where a clear functional disturbance or morphological change, which has toxicological significance, results from repeated or prolonged exposure by an appropriate route.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

There is no information available for this product.

Mobility:

There is no information available for this product.

Persistence / Degradability:

There is no information available for this product.

Chemical Fate Information:

There is no information available for this product, however, it may cause long term adverse effects in the environment so it should not be release into drains or waterways.



Material Safety Data Sheet

Page 5 of 6

Issue date: August 2008

ERASPRAY ESM900 POLYOL

13. DISPOSAL CONSIDERATIONS

Refer to appropriate authority in your State. Dispose of material through a licensed waste contractor. Normally suitable for disposal by approved waste disposal agent.

14. TRANSPORT INFORMATION

Road Transport

UN Number: None allocated

Proper Shipping Name: NONE ALLOCATED

Dangerous Goods Class: None allocated

Packing Group: None allocated

Label: Harmful (Xn)

Air Transport

UN Number: None allocated

Proper Shipping Name: NONE ALLOCATED

Dangerous Goods Class: None allocated

Packing Group: None allocated

Label: Harmful (Xn)

Sea Transport

UN Number: None allocated

Proper Shipping Name: NONE ALLOCATED

Dangerous Goods Class: None allocated

Packing Group: None allocated

Label: Harmful (Xn)

15. REGULATORY INFORMATION

Poison Schedule: S6 [Aust]

Inventory Status:

Inventory Status

Australia (AICS) Y

Y = all ingredients are on the inventory.

16. OTHER INFORMATION

Date of Preparation:

Issue date: 4 August 2008

Supersedes: None

Reasons for Update:

First Issue

Key Legend Information:

NOHSC - National Occupational Health & Safety Commission {Formerly Worksafe}[Aust]

SUSDP - Standard for the Uniform Scheduling of Drugs and Poisons [Aust]

TWA - Time Weighted Average [Int]

STEL - Short Term Exposure Limit [Int]

AICS - Australian Inventory of Chemical Substances

EPA - Environmental Protection Agency [Int]

NIOSH - National Institute for Occupational Safety and Health [US]

AS/NZS 1715 - Selection, use and maintenance of respiratory protective devices. [Aust/NZ]

AS/NZS 1716 - Respiratory protective devices. [Aust/NZ]

IATA - International Aviation Transport Authority [Int]

ICAO - International Civil Aviation Organization [Int]

IMO - International Maritime Organisation. [Int]



Material Safety Data Sheet

Page 6 of 6

Issue date: August 2008

ERASPRAY ESM900 POLYOL

IMDG - International Maritime Dangerous Goods [Int]

United Nations Recommendations for the Transport of Dangerous Goods and Globally Harmonized System for the classification and labelling of Chemicals. [Int]

EU - European Union

[Aust/NZ] = Australian New Zealand

[Int] = International

[US] = United States of America

Removal of the heading of *Poison Schedule [Aust]*, in section 3 and 15 of this Material Safety Data Sheet (MSDS) makes this a valid health and safety document in other international jurisdictions/countries. For full compliance please contact your Federal, State or Local regulators for further information.

Disclaimer

This MSDS summarises our best knowledge of the health and safety hazard information available on the product and the measures to be used to handle and use the product safely. Each user should read this MSDS and consider the information in connection with the way the product is intended to be handled or used.

Principal References:

Information supplied by manufacturer, reference sources including the public domain.

END OF MSDS